

# International Journal of Sciences: Basic and Applied Research (IJSBAR)

International Journal of
Sciences:
Basic and Applied
Research

ISSN 2307-4531
(Print & Online)

Published by:

1308/1811

(Print & Online)

http://gssrr.org/index.php?journal=JournalOfBasicAndApplied

# Extent of Use of Aloe vera Locally Extracted Products for Management of Ailments in Communities of Kitagata Sub-county in Sheema District, Western Uganda

Dr. Kamukama Adams<sup>a</sup>\*, Twineomujuni Eliot<sup>b</sup>, Agaba Gerald<sup>c</sup>

<sup>a</sup>Former Finalist medical student, Makerere University College of Health Sciences, School of Medicine, P.O Box 7072, Kampala Uganda and currently Medical Doctor at Fort Portal Regional Referral Hospital, P.O Box 10 Fort Portal Uganda

<sup>b</sup>Makerere University, Department of Veterinary Medicine, P.O Box 7062, Kampala Uganda
<sup>c</sup>Makerere University College of Health Sciences, Department of Pharmacy, P.O Box 7072, Kampala
Uganda

<sup>a</sup>Email: kamaa25@gmail.com <sup>b</sup>Email: eliotsatr@gmail.com <sup>c</sup>Email: gagaba@chs.mak.ac.ug

### Abstract

Aloe vera is widely used locally in communities in Uganda as a medicinal plant. It is said to contain various nutrient substances and vitamins that have curative properties. It is said to heal a variety of diseases in various communities. However the extent of use of this potential medicinal plant in Uganda and the various ailments for which it is used and the treatment outcomes are not clearly established and documented. In this cross-sectional study, carried out in August 2012 in Kitagata sub-county in Sheema district in western Uganda, data was collected from 131 randomly selected adult respondents using an interviewer administered semi-structured questionnaire. Key informants interviews and focused group discussions were also carried out with purposively selected participants.

E-mail address: kamaa25@gmail.com

<sup>\*</sup> Corresponding author. Tel.: +256779314504/ +256703895230;

Data were collected on social demographic characteristics, practices and beliefs about Aloe vera. The data were analyzed using Excel version 2007 and Epi\_Info software. To get the proportion of the community that use Aloe vera, the number of respondents that use aloe vera was expressed as a percentage of the total number of respondents. It was found out that all the respondents (100%) know aloe vera plant, 96.1% think that it can cure and 84.7% have ever used it. 90.9% of the respondents believe that Aloe vera is effective in curing ailments. 82.9% of these strongly believe in Aloe vera's effectiveness. The diseases reported included malaria (31%), wounds (23%), abdominal pains (16%) and skin diseases (9%) among others. It was significantly noted that all the participants who had ever used Aloe vera still believe in it. 92.0% respondents reported that they can recommend aloe vera to a friend or relative. Only one participant strongly disagrees that Aloe vera has any curative properties and has never used it.

Keywords: Aloe vera; medicinal plant; Ailment; Vernonia amygdalina (Omubirizi); Kitagata; Uganda

### 1. Introduction

Traditional and Herbal medicines have been in use for many centuries by a substantial proportion of the population. They also continue to be increasingly used in every country around the world in some capacity [1]. In much of the developing world, 70–95% of the population relies on these traditional medicines for primary care [2,3]. In developing countries, plants are the main source of medicines for treatment of various illnesses [4]. A substantial number of drugs on the market are also got from plants and the use of plant products for pharmaceutical purpose is on a rise [5]. According to World Health Organization, medicinal plants would be the best source for obtaining a variety of drugs. Regulatory status and the associated terminology vary widely among the different countries [2,6]. Among the various plants that have been commonly and widely used for several decades for its reported medicinal properties is *Aloe vera* [7,8,9].

Aloe vera is a perennial, drought resisting, succulent plant from the Aloe family (400 different species) with its origin in African continent. It has stiff green, lance-shaped leaves containing clear gel in a central mucilaginous pulp. Its thick leaves contain the water supply for the plant to survive long periods of drought [10]. The leaves have a high capacity of retaining water also in very warm dry climates and it can survive very harsh circumstances. When a leaf is cut, an orange-yellow sap drains from the cut end. When the green skin of a leaf is removed a clear mucilaginous substance appears that contains water and the ingredient to retain the water in the leaf. The gel is said to contain 99.3% of water, the remaining 0.7% is made up of solids, with carbohydrates constituting a large component [10,11,12].

Aloe vera plant is said to contain different nutrients including, minerals, sugars, phenolic compounds, lignin, saponins, sterol and amino acid. It is also reported to contain many vitamins like the important antioxidant vitamin A, C and F. Vitamin B1, B2, and B3, choline and folic acid are also present. A trace of vitamin B12 is also present [7]. Vitamin B complex and C are reported to play an important role in reducing stress and inflammation. Aloe vera is also reported to contain enzymes such as

amylase, lipase and carboxypeptidase. It is also said to have antiviral, antibiotic and antifungal ingredients. Aloe gel is also believed to stimulate the body's immune system [8,11,13]

Aloe vera said to have powerful purgative effects, potent antimicrobial agents and powerful analgesic effects [14,15]. Aloe vera is also said to contain saponins which are soapy substances in the gel and that are general cleansers, have antiseptic and anti-carcinogic properties [13]. It is reported that Aloe vera also contains Campesterol, F2 Sitosterol, Lupeol and an aspirin like compound that possesses anti-inflammatory and anti-bacterial properties [7,14,15,16].

The bioactive compounds from *Aloe vera* are claimed to be very effective in treatment of various ailments, such as burns, allergic reactions, rheumatoid arthritis, rheumatic fever, acid indigestion, ulcers, diabetes, skin diseases, dysentery, diarrhea, piles and inflammatory conditions of the digestive system and other internal organs, including the stomach, small intestine, liver, kidney, and pancreas. [16,17,18].

Aloe vera is commonly grown and used in most parts of Uganda and East Africa. The plant is widely used as a medicinal plant by a number of communities in Uganda [5].

It is used in various ways, as full therapy or adjunct therapy [8]. Aloe vera products are used as over-the-counter (OTC) medications, as self-medication or self-care, as home remedies, or as dietary supplements, health foods, functional foods, and many others. Despite this long term native use of this medicinal or potentially toxic plant, the extent of use in terms of number on of people that use it and ways in which they use it is not clearly documented. [6,19]. The proportion of the population that benefits from this plant or that is exposed to its toxic effects is not known. This study therefore seeks to determine the extent of use of *Aloe vera* plant locally for management of ailments in communities in Sheema District in Western Uganda [20,21,22].

### 2. Methodology

This cross sectional study was conducted in Kitagata Sub-county, found in Sheema District in Western part of Uganda. Sheema district has a population of 220,300 people with 42,259 households and an average household size of 5.213 people. It covers an area of about 708 Km<sup>2</sup> [21].

Kitagata sub-county lies about 365 km from the capital city Kampala and accommodates the district hospital (Kitagata hospital), and one of the oldest hospitals in the region. It has a population of 20,404 which is about 9.26% of the District population. This is distributed as 48.3% males and 51.7% females [20,21,22].

The sub-county has 5 parishes with 61 villages. All the 5 parishes were covered during this study and the respondents were from 33 (54.09%) of the villages [21].

The participants were community members of Kitagata sub-county of at least 18 years of age. These

were selected using systematic random sampling [23]. Also some sellers and promoters of Aloe vera products as well as some community opinion leaders were involved in Key Informant Interviews and Focused Group Discussions in order to acquire more information. The used sample was 131 people.

With the help of a botanist *Aloe vera* plant was identified and described by different locally known names.

The data was managed and analyzed using Epi-Info, Excel 2007 and Micro soft Access 2007. Qualitative data was analyzed basing on the sub themes and specific questions asked. Each question was analyzed according to the number of respondents to that particular question [23,24].

The major area of interest in the quantitative data was the proportion of respondents that had used aloe vera and the various opinions the users had on its effectiveness. This data was then summarized and presented in figures, tables and graphs. Of major interest in qualitative data was the latest time of aloe vera use by the respondent. All the questionnaires were coded.

Ethical approval for the study was obtained from Makerere University College of health sciences Research and Ethics committee. Care was taken to maintain confidentiality and to ensure that all those who participated did so voluntarily and gave written informed consent.

Personal identifiers were eliminated and collected data was kept in a password protected computer to which only research team members had access.

### 3. Results

We interviewed 131 randomly selected respondents from Kitagata sub-county. 99.2% of these were Banyankole while 0.8 % were Baganda by tribe. The Respondents were of various age groups, marital status, education levels, religions and occupations as show below. There was no significant correlation between these social demographic characteristics and aloe vera use.

Table 1. Social demographic characteristics of the participants

Marital status (%)		Education levels (%)		Religion (%)		Occupation (%)	
14.2	Never	27.4	Protestant	58.7	Civil servant	4.1	
67.7	Lower Primary	8.9	Catholic	28.1	Self employed	33.3	
15.7	Higher Primary	37.1	Moslem	8.3	Peasant	43.1	
1.6	Lower Secondary	14.5	Pentecostal	5.1	House wife	14.6	
	Higher Secondary	3.2			None	4.9	
	Tertiary	8.9					
	67.7 15.7	<ul> <li>14.2 Never</li> <li>67.7 Lower Primary</li> <li>15.7 Higher Primary</li> <li>1.6 Lower Secondary</li> <li>Higher Secondary</li> </ul>	14.2         Never         27.4           67.7         Lower Primary         8.9           15.7         Higher Primary         37.1           1.6         Lower Secondary         14.5           Higher Secondary         3.2	14.2Never27.4Protestant67.7Lower Primary8.9Catholic15.7Higher Primary37.1Moslem1.6Lower Secondary14.5PentecostalHigher Secondary3.2	14.2         Never         27.4         Protestant         58.7           67.7         Lower Primary         8.9         Catholic         28.1           15.7         Higher Primary         37.1         Moslem         8.3           1.6         Lower Secondary         14.5         Pentecostal         5.1           Higher Secondary         3.2         3.2	14.2Never27.4Protestant58.7Civil servant67.7Lower Primary8.9Catholic28.1Self employed15.7Higher Primary37.1Moslem8.3Peasant1.6Lower Secondary14.5Pentecostal5.1House wifeHigher Secondary3.2None	

All the respondents interviewed (100%) reported that they knew aloe vera plant. 60.4% of these have known it for at least 10 years. They reported to have come to know aloe vera through various ways as follows;

Table 2. How respondents got to know aloe vera

How did you come to know aloe vera?	Frequency	Percentage (%)
Friend/Relative/Peer	109	84.5
Promoters	5	3.9
Radio	13	10.1
Seminar/meeting	1	0.8
Others	1	0.8

Table 3. When respondents came to know aloe vera

When did you know about Aloe vera?	Frequency	Percentage (%)
1 year ago	19	15.1
5 years ago	31	24.6
10 years ago	21	16.7
more than 10 years ago	55	43.7

The respondents were then further asked whether they have ever used aloe vera or not. Of the respondents to this question, 84.7% (102) reported to have ever used Aloe vera while 15.7% (19) reported to have never used it. (10 participants declined to give response to this question)

96.1% of the respondents think that aloe vera can cure illness while 3.9% do not know whether aloe vera can cure any illness. Of the respondents that think that Aloe vera can cure illnesses, 82.9% strongly believe and 13.8% somehow believe in aloe vera's effectiveness in curing illness. 92.0% of the respondents who believe in aloe vera's effectiveness can also recommend it to a relative or friend.

Table 4. Respondents' thoughts about aloe vera's curative ability

Do you think Aloe vera can cure any illnesses?	Frequency	Percentage (%)
Yes	124	96.1
No	0	0.0
I do not know	5	3.9

Table 5. Respondents' beliefs about aloe vera's effectiveness in curing illnesses

Beleif	Do you l - ailments	pelieve that alo ?	oe vera is ve	ery effective	in curing
Opinion					
Do you think Aloe vera	I do not	Somehow	strongly	strongly	TOTAL
can cure any illnesses?	know	believe	believe	disagree	
I do not know	2	1	0	0	3
Yes	3	17	102	1	123
TOTAL	5	18	102	1	126




Fig. 1. Respondents' beliefs about aloe vera's effectiveness in curing illnesses

According to the respondents, people use aloe vera to cure various illnesses in their communities which include malaria, wounds, abdominal problems, skin diseases, allergic reactions and other diseases.

Table 6. Illnesses for which aloe vera is used

Code	Disease	Frequency	Percentage (%)
1	Malaria	93	31
2	Wounds	69	23
3	Abdominal problems	48	16
4	Skin problems	28	9
5	Yellow fever	16	5
6	Allergy	8	3
7	Syphilis	5	2
8	Other diseases	29	10
9	Other uses	4	1

### Note;

Abdominal problems reported included; Abdominal pains (24), ulcers (09), intestinal worms (09), loss of appetite (02), typhoid (02), constipation (01) and diarrhea (01). Other diseases reported included high blood pressure (04), eye problems (03), diabetes (02), joint pains and fractures (02), chest pain (02), dizziness (01), bad odor (01) and obesity (01).

Aloe vera was also reported to be capable of performing other functions which included curing some diseases in poultry, being used in washing or as a skin cosmetic.

People use aloe vera as juice extracts, sap exudates or pulp extracts. Some prepare it into solutions for drinking (85.4%) or apply it directly to the skin surface or wounds (9.8%).

It is either used alone (96.7%) or mixed with other herbs (3.3%) or other substances like honey, skin jellies, or food items. Some people reported using it as a salad.

However there was some failure in treatment in some cases that was reported by some respondents.

Table 7. Effectiveness of aloe vera according to respondents' experience

Have you ever used Aloe vera to cure any illness but it failed?	Frequency	Percent age (%)
Yes	24	19.2
No	101	80.8

Table 8. Treatment failure of aloe vera in various illnesses

Disease	Frequency of use	Frequency of failure	Percentage failure (%)
Malaria	93	17	18.3
Wounds	69	0	0.0
Abdominal problems	48	2	4.2
Skin problems	28	0	0.0
Yellow fever	16	1	6.3
Allergy	8	0	0.0
Syphilis	5	1	20.0
Other diseases	29	4	13.8
Other uses	4	0	0.0

According to the latest time of use, 73.8% of the respondents have used aloe vera in the past one year.




Fig. 2. Increasing trend of aloe vera use in community

56.7% reported to have aloe vera in their own gardens or plantations while 43.3% reported not to have it. Majority of those that did not have it reported that they get it from neighbors (71.7%), friends (17.0%), bush (9.4%) or other sources (1.9%).

60.3% of the respondents believe that aloe vera use is not associated with any problems. However 39.7% of the respondents who believe that there are some problems associated with Aloe vera use mainly reported diarrhea (9), bitter taste (7), dizziness (6), abdominal upsets (3) and body reactions (3) among others.

During focused group discussions and key informant interviews, we further established that aloe vera is the second commonly used medicinal plant among the people of Kitagata sub-county next to *Vernonia amygdalina* (commonly known as "omubirizi"). It is locally known as "rukaka". It was reported that there are 2 types of aloe vera i.e small leaf and broad leave that are commonly used. The narrow leaf was reported to treat most of the diseases while the broad leaf was mainly used for skin diseases, cosmetics and as a salad. However some respondents did not consider the different functions ascribed to those types. Most of the diseases mentioned above were categorically emphasized, with some giving their personal experiences and testimonies with particular emphasis on wounds, pimples, malaria, yellow fever, stomach ulcers, burns, relieving constipation and skin infections.

Interestingly, one of the participants who was a medical personnel strongly believes in its effectiveness in curing malaria and typhoid. She also believes that it is so effective in treating herpes zoster and believes that it can improve immunity of HIV patients.

Most of the participants ranked it 6-9 on a scale of 0 to 10 in terms of effectiveness. Some herbalists extract it locally to form shaving creams and skin jellies. Issues concerning dosages were highly controversial, with each individual having their own dosage considerations. However most participants unanimously agreed that aloe vera use could be dangerous to pregnant women and neonates.

It was also noted that religious beliefs could have some influence on use of herbs in general. For example Pentecostals consider use of herbs unacceptable. However other religious denominations did not significantly influence over the use of herbs.

It was noted that aloe vera use is independent of age group, sex, social-economic class or education level uses aloe vera more than the other.

### 4. Discussion and Conclusions

It was found out that age, sex, marital status, education levels and occupation do not significantly affect the use of aloe vera. These groups of people use aloe vera relatively to the same extent. The popularity of aloe vera is extremely high because all the respondents (100%) knew it and 60.4% have known it for at least 10 years. The transfer of knowledge about aloe vera is mainly traditional with 84.5% of the

respondents having got to know about it from friends or relatives. The popularity of aloe vera is growing with the media and promoters playing some part in transmission of knowledge.

A very big proportion of the community (96.1 %) thinks that aloe vera can cure illness and 84.7% of these have ever used. It is the second most commonly used herbal plant next to Vernonia amygdalina. All the respondents that have ever used aloe vera still believe in its effectiveness (i.e 82.9% strongly believe and 13.8% somehow believe) and 92.0% can still recommend it to a friend or relative. This implies that according to the respondents, the effectiveness of aloe vera is significantly high. Respondents who strongly disagree with aloe vera's effectiveness in curing illness have never used it. This might be partly due to lack of experience among these respondents. We also found out that people use aloe vera for various illnesses with varying degrees of effectiveness.

According to the findings, aloe vera could have some effectiveness in treating malaria, wounds, abdominal problems, skin diseases, allergic reactions and some other diseases. According to the respondents, the effectiveness of aloe vera is very high, for example 80.8% of the respondents who have ever used aloe vera have never noted failure in treatment while only 19.2% have had some failure. The highest degrees of effectiveness were reported with wounds followed by abdominal problems, malaria and then skin diseases. It was further emphasized in focused group discussions that aloe vera is particularly very effective on malaria, wounds and skin diseases especially pimples. This was backed up with personal testimonies and experiences.

Of the 69 participants who reported to have used aloe vera to treat wounds, no one reported failure. However the highest treatment failure rates were reported with syphilis and other diseases.

Aloe vera is frequently used in communities to cure some illnesses, for example 73.8% of respondents have used it in the past one year. The trend of use of aloe vera use is also growing, with about 12% of the people using it in the past one month compared to 2% in the past 8 years.

Aloe vera is easily and locally accessed by the people who need it, with the majority having it in their gardens (56.7%) or getting it from the neighbors (31.0%).

Most people (60.3%) believe that there are no problems associated with aloe vera use. However, some other people (39.7) reported diarrhea, bitter taste, dizziness and some allergic reactions. The reported potential diarrheal effect of aloe vera is also consistent with its reported ability to relieve constipation.

## **Acknowledgements:**

This work was made possible by Medical Education for Equitable Services to All Ugandans a Medical Education Partnership Initiative grant number 5R24TW008886 from the Office of Global AIDS Coordinator and the U. S. Department of Health and Human Services, Health Resources and Services Administration and National Institutes of Health. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the government.

Our appreciation goes to Professor Samuel Abimerech Luboga (Makerere University College of Health Sciences) for his technical assistance and people of Kitagata sub county for their cooperation during the study.

### References

- [1] TMS Ruge (2008) Internet Publication on Aloe vera in Ugad, www.projectdiaspora.org
- [2] World Health Organization (Geneva 2011). National Policy on traditional medicine and regulation of herbal medicines
- [3] U.S. Department of Health and Human Sciences, Natural Institute of Health Centre for Complementary and Alternative Medicine; herbs at glance
- [4] Santos, P.R.V, Oliveria, A.C.X and Tomassini, T.C.B 1995. Controls microbiological products fitoterapices
- [5] Plan For Modernization of Agriculture (PMA) secretariat, (June 2009). Aloe vera chain study in western Budama sub-region
- [6] World Health Organization (Geneva 2011). National policy on traditional/herbal medicines
- [7] Coats, B.C. 1979. Texas Garland The Silent Healer, A modern study of *Aloe vera*
- [8] Nature 4 Science. Definition, Testing And Application of Aloe vera and Aloe vera Gel
- [9] National Research Center for Medicinal and Aromatic plants, Broriavi, Anad -387-310, Gujarat, India; Cultivation of Aloe vera by Satyabrata Maiti and Roman Chandra
- [10] Foster, S.1999. *Aloe vera*. The succulent with skin smoothening cell protecting properties, herbs for health magazine. Health Word Online. http;//www.healthy.net/library/articles/hfh/aloe.htm
- [11] Davis, H.R 1997. Aloe vera. A scientific Approach, published by Vantage Press http://www.aloevera.co.uk/rhdavis.htm
- [12] Beth Lulinski, R.D, Cathy Kapika, Ph.D., R.D; Some Notes on Aloe vera
- [13] Hirat, T. and Suga.T.1983.The efficacy of aloe vera plants, chemical constituents and biological activities.
- [14] Lorenzetti, L.J.R. Salisburry. J.L. Beal and J.N Baldwin 1964. Bacteriostatic property of Aloe vera. J. of the pharm.sci
- [15] Sims, P., Ruth, M. and Zimmerman, E.R. 1971a. Effect of Aloe vera in Herpes simplex and herpes virus (strain zoster)
- [16] The International Aloe vera Science Council 1996-2002; Nature's medicine chest
- [17] Dr. Reuben Titus-The Magical Plant Among US
- [18] Kathi, Kempa MD, MPH and Victoria Chiou, BA. Aloe vera
- [19] World Health Organization, Geneva 2004. WHO guidelines on safety monitoring of herbal medicines in pharmacological systems
- [20] Romney, A. K., Batchelder, W. H., and Weller, S. C. 1987. Recent applications of cultural consensus theory. American Behavioral Science, 31, 163-177
- [21] Sheema, District Demographic Survey 2011, Uganda

- [22] Romney, A.K., Weller, S.C. and Batchelder, W.H. (1986). Culture as Consensus: A Theory of Culture and Informant Accuracy. American Anthropologist 88(2), 313-338
- [23] Borgatti, S.P. (1992). Anthropac. Columbia, SC: Analytic Technologies
- [24] Comrey, A.L. (1962). The minimum residual method of factor analysis. Psychological Reports, 11,15-18

# Appendix

B: Knowledge

# 1. Structured Questionnaire for Survey Respondents

A: Backgroun	nd information of the respond	<u>lent</u>
1. Age		(In completed years)
2. Marital sta	tus:	
a)	Single	d) Widowed
b)	Married/cohabiting	e) Separated
c)	Never married	f) Divorced
3. Tribe		
4. Village		
5. Education l	evel:	
a)	Never	e) Ordinary level (S1-S4)
b)	lower primary (P1-P4)	f) Higher Education (S5-S6)
c)	Upper primary (P5-P7)	g) Other (specify)
d)	Tertiary	
6. Religion:		
a)	Catholic b) Protestant	c) Muslim d) Others (specify)
7. Occupatio	n:	
a)	Civil servant	d) Housewife
b)	Self employed	e) None
c)	Peasant farmer	f) Others
(spec	eify)	

I. Do y	ou know	of any herb/plant that is used for tre	ating/managing any ailment/disease/s	icknes	ss?
	a)	Yes			
	b)	No (Go to question 3)			
2. If ve	s which o	ones do you know (also accept local/	traditional names)		
2. 11 yc	3 WIIICH C	nes do you know (also accept local)	iraditional names)		
	a)		b)		
	c)				
3. Do y	ou know	Aloe vera plant (Rukaka, Ekigaji)?			
	a)	Yes			
	b)	No (go to Part C and replace aloe	vera with "herbs")		
4. If ye	s, how di	d you come to know? (Multiple answ	vers allowed)		
	a)	Friend/relative/peer d	) Promoters		
	b)	News papers (specify)		e)	Others
	(specify	7)			
	c)	Radio (specify)			
5. Do y	ou think	Aloe vera can cure any ailments/sick	inesses?		
	a)	Yes			
	b)	No			
	c)	I do not know			
6. If ye	s, when d	id you know that?			
	a)	1 year ago	c) 10 years ago		
	b)	5 years ago	d) More than 10 years ago		
7. If ye	s for Qn.	5, which ailments/sicknesses can be	treated by Aloe vera?		
	a)	b)	c)		
8. Wha	t are the o	different ways/forms in which Aloe v	vera plant or products are used to cure	ailme	ents?
	a)	Juice extracts for drinking	d) Extracts/products mixed with	h food	l
	b)	Exudates/extracts applied on skin	e) Mixed with other herbs		
	c)	Extracts applied on wounds		f)	Others
	(specify	7)			

9. H	ave you ev	ver used or prepared	fresh/locally prepared Aloe vera extracts?
	a)	Yes	
	b)	No	
10. I	Have you ı	used <i>Aloe vera</i> in the	e last one month?
	a)	Yes	
	b)	No	
11. I	Has someo	one in your home use	ed Aloe vera in the past one month?
	a)	Yes	
	b)	No	
12. I	f yes for (	Qns. 15 & 16, what w	was the reason for using <i>Aloe vera</i> at that time?
	a)		
	b)		
14. I	Oo you ha	ve <i>Aloe vera</i> in your	garden/plantation?
	a)	Yes	
	b)	No	
15. I	f no where	e do you get Aloe ver	ra from if you need it?
	a)	Neighbor	c) Bush
	b)	Friend	b) Others (specify)
<b>C</b> : <u>Q</u>	uestions o	on attitude/ beliefs	
1. D	o you beli	ef that <i>Aloe vera</i> is v	very effective in curing ailments?
	a)	Strongly believe	
	b)	Somehow believ	e
	c)	Strongly disagree	e

2. Would you advise a friend, relative or sibling to use Aloe vera?

	a)	Yes
	b)	No
W	hy?	
5. Do	you thin	k there are some people in this community who do not use Aloe vera or its products at
all?		
	a)	Yes
	b)	No
6. Why	y do you	think they do so?
7. Are	there an	y special advantages associated with <i>Aloe vera</i> use?
	a)	
	b)	
8. Hav	e you ev	ver used Aloe vera to cure any illness but it failed?
	a)	Yes
	b)	No
		N. 8, which illness was it? (Accept multiple answers)
		N. 8, what did you do?
	a)	
	b)	
11. Ar	e there a	ny problems associated with Aloe vera use?
	a)	Yes
	b)	No
12. If y	yes, whic	ch ones?
	a)	
	b)	

13. Is there any thing you would like to let me know about *Aloe vera* that we have left out?

# 2. Focused group discussion and Key Informant Interview guide.

- 1. Do you know herbal medicine? If yes, how did you know and what do you know about it?
- 2. What are the 5 commonly used herbs in this community?
- 3. Do you know *Aloe vera* plant? If yes, how did you know and what do you know about it?
- 4. How is Aloe vera used in this community? (Functions, forms, ways)
- 5. Do you believe that *Aloe vera* plant has some curative abilities or any other medical uses?
- 6. What are the illnesses that can be cured by *Aloe vera*?
- 7. Which people should take or should not take *Aloe vera* (neonate, children, pregnant women)
- 8. Which people commonly use *Aloe vera* in this community? (Women, men, children, adults, elderly, any why?)
- 9. How do you compare *Aloe vera* with alternative sources of treatment? (Accessibility, cost, effectiveness, adverse effects)
- 10. What do you think can be done to promote better use of *Aloe vera* and other herbal medicines? (Processing, dosages, concentration)